

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **906** for **plug-in API interface and IDL and XPCOM** . (0.33 seconds)

Did you mean: **plugin** API interface and IDL and XPCOM

NPAPI: Information From Answers.com

NPAPI The NPAPI (or Netscape **Plugin** Application Programming **Interface**) is ...
Each **interface** was defined by an IDL (**Interface** Definition Language) file, ...
www.answers.com/topic/npapi - 29k - May 12, 2005 - [Cached](#) - [Similar pages](#)

Scripting Plugins with Mozilla

... The old **Plugin** API call NPP_GetValue is used to retrieve this ... instance
interface will require Mozilla headers and the XPCOM compatible idl compiler ...
www.mozilla.org/projects/plugins/scripting-plugins.html - 16k - [Cached](#) - [Similar pages](#)

[\[sdw\] Blackwood: Adding Java Platform Value to Mozilla](#) Edward J. Burns ...

File Format: StarOffice Writer 5.2 - [View as HTML](#)

... In the Mozilla **Plugin** API, there is usually one nsIPlugin instance per ...
XPIDL is the IDL dialect used in XPCOM. BlackConnect expands on the xpidl ...

www.mozilla.org/projects/blackwood/papers/suntech01/paper.sdw - [Similar pages](#)

[\[PDF\] ibms-44-02-25 279..288](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... COM/XPCOM IDL (**Interface** Description Language) ... Java API Version of Native.
DOM **Interface**. Java XPCOM Bridge. Mozilla/Gecko. Web Browser Component ...
www.research.ibm.com/journal/sj/442/ponzo.pdf - [Similar pages](#)

Appendix B: XPCOM API Reference

... It provides the foundation for XPCOM **interface** discovery and lifetime object
... if one exists, will be registered. (see nsIDirectoryService .idl) ...

docs.mandratorg.org/files/Misc/Creating_XPCom_Components_en/appB.html - 367k - [Cached](#) - [Similar pages](#)

GDM Login Erreur .. configuration - Divers - OS Alternatifs ...

... ORBit-idl-2.0 ORBit-idl-2.0 - ORBit-2.0 IDL Compiler Backend **Interface** ...
mozilla-plugin Mozilla **Plug-In** API - Mozilla **Plug-In** API ...

forum.hardware.fr/hardwarefr/OSAlternatifs/GDM-Login-Erreur-configuration-sujet-31438-1.htm - 24k -
[Cached](#) - [Similar pages](#)

Release Notes for Java 2 SDK

... Java IDL, and Java RMI-IIOP: Java Naming and Directory **Interface** API ...
strings | grep _ZN | grep XPCOM. See Java **Plugin** instructions for more details ...
java.sun.com/j2se/1.4.2/relnotes.html - 54k - May 12, 2005 - [Cached](#) - [Similar pages](#)

[\[PDF\] Providing Metadata Services on the World Wide Web](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... XPCOM. The Blackwood API would permit, when it will be finished to connect
... which there exists a binding to the corresponding XPCOM **interface**. ...

www.cs.aue.auc.dk/~kock/Publications/Construct/aue-cse-01-01.pdf - [Similar pages](#)

[\[PDF\] Concrete Architecture of Mozilla](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Support (plugin) The Plugin Support subsystem provides a simple interface ...
API: Application Programming Interface. • DOM: Document Object Model ...
swag.uwaterloo.ca/~j25wu/cs746/ A2D/MozillaConcreteArchitecture-aoa.pdf - [Similar pages](#)

Frequently Asked Questions


... Consequently Firefox is missing the XPCOM DLLs that the control needs to ...
it exposes the IDispatch interface of the control through the plugin API ...
www.iol.ie/~locka/mozilla/faq.htm - 34k - [Cached](#) - [Similar pages](#)

Did you mean to search for: **plugin** API interface and IDL and XPCOM

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)




plug-in API interface and IDL and XPCOM **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)
 The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 91,300 for wrapper or proxies and input stream interface. (0.28 seconds)

CSCIE 160 Homework #4, Automated Teller

... basic outbound **stream** with a convenience **wrapper stream** like java.io.PrintWriter.
 Similarly, the proxy reads incoming responses from the **input stream** ...
courses.dce.harvard.edu/~cscie160/hw4-04.htm - 14k - [Cached](#) - [Similar pages](#)

OOP Lecture

... around an existing value, adding new behaviour without changing the **interface**.
 eg... The object of class **InputStream** reads bytes from an **input stream**. ...
ironbark.bendigo.latrobe.edu.au/subjects/OOP/lectures/S6DesignPatterns.html - 17k - [Cached](#) - [Similar pages](#)

Chapter 24, Outline

... and a buffered **input stream** has an **input stream** private **InputStream** data; }
 ... Solution: A proxy uses the **interface** that the client expects, ...
undergraduate.csse.uwa.edu.au/units/230.224/timBudd/chap24/chap24.html - 13k - [Cached](#) - [Similar pages](#)

Input

... An **InputSource** is a **wrapper** for the various kinds of **input streams** and ...
 You might even use this **interface** to provide some form of custom proxy server ...
www.cafeconleche.org/books/xmljava/chapters/ch07s02.html - 22k - [Cached](#) - [Similar pages](#)

symphony.remote.io({project} API)

... a Globus FTPInputStream and provides a standard **InputStream** **interface** ...
 ProxyFile, A proxy for a local or remote file that knows how to use the ...
zuni.cs.vt.edu/symphony/doc/api/symphony/remote/io/package-summary.html - 11k - [Cached](#) - [Similar pages](#)

ServletRequest (Servlet API Documentation)

... object provides data including parameter name and values, attributes, and an **input stream**. **Interfaces** that extend **ServletRequest** can provide additional ...
jakarta.apache.org/tomcat/tomcat-5.0-doc/servletapi/javax/servlet/ServletRequest.html - 44k - [Cached](#) - [Similar pages](#)

libecasound: Class List

... AUDIO_IO_PROXY, Generic **interface** for objects that act as **proxies** for other
 ... **Input** and output of raw MIDI **streams** using standard UNIX file operations ...
eca.cx/ecasound/Documentation/dg_libecasound/html/annotated.html - 33k - [Cached](#) - [Similar pages](#)

Interpreter

... Get the **input stream** associated with this interpreter. java.lang. ...
 Return value is the evaluated object (or corresponding primitive **wrapper**). ...
www.jedit.org/42docs/api/bsh/Interpreter.html - 59k - May 12, 2005 - [Cached](#) - [Similar pages](#)

HttpInvokerServiceExporter (Spring Framework)

... service bean as HTTP invoker service endpoint, accessible via an HTTP invoker proxy. ... Return the **InputStream** to use for reading remote invocations, ...
www.springframework.org/docs/api/org.springframework.remoting/httpinvoker/HttpInvokerServiceExporter.html - 50k - [Cached](#) - [Similar pages](#)

Message-passing programming in Java


File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... and a small proxy object is placed in the output stream. ... JCI Java-to-C interface generator takes input C header and generates stub functions for JNI ... www.hpjava.org/talks/beijing/java/java.ppt - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



wrapper or proxies and input stream [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google